


	1	re-laid in 50-60% original plain tiles salvaged from roof and 40-50% reclaimed plain tiles in colour to match
	2	new 38 x 25mm graded timber battens.
	3	SIGA Majcoat 200 SOB breathable membrane (Mike Wye)
	4	150mm THERMAFLEECE Cosywool Insulation (Mike Wye) above existing tie beams or ceiling joists
	5	150mm THERMAFLEECE Cosywool Insulation (Mike Wye) between existing tie beams or new ceiling joists
	6	15mm wood wool board Savolit Plus or similar (Mike Wye)
	7	10 mm Lime Plaster System
colour's pply this detail		5
pe R2a - Pitche U-Value 0.13W		f - Flat Ceiling



First Floor Plan - Scale NTS



Roof Plan - Scale NTS

			Roo	f Construction	Тур	es			
		Туре			Colour				
Status	Position	Vaulted Ceiling	Pitched Roof Flat Ceiling	Flat Roof Ceiling	Code		Rooms Below	Comments	
Heritage	1	Roof Type R1	Roof Type R1a		R	ed	F6,		
Heritage	2	Roof Type R2	Roof Type R2a		Ora	nge	F2, F3, F4, F5		
Modern	3	Roof Type 3	Roof Type 3a		Yel	low	Stair Void, F1		
Modern	4			Roof Type R4	Gr	en	G3		
Modern	5	Roof Type 2	Roof Type 2a		BI	ue	G8		
Modern	6		Roof Type 3a		Ind	igo	G10	Use Roof Type 3 & 3a if clients wants a vaulted ceiling to G10	
Modern	7		Roof Type 3a		Vio	olet	G11		
Heritage	8	Roof Type R2	Roof Type R2a		Pi	nk	G12, G13		
Modern	9	as existing			Ta	an	WC		
Modern	10	as existing			Ler	non	G5	Construction as existing but to be rebuild	

Table 1

A Gene DRAFT - ISS	12/0	12/02/24						
Rev Desc	ription			Date				
Client Robert Mcle	ennan							
Project Great Brag Bragmans	mans Farn Lane, WD3	n 3 4NY	Description Typical Details Roof & Floor Details					
Do n	ot scale from th	nis drawing	Copyright Noades Architects Limited ${\mathbb C}$					
Scale@A1 1:10 uno	Drawn TAC	Date 19/01/2024	Job No. 4249	Drawing No. 21-02	Rev A			
NOA a r c h i t 1 The Sportsman, S	ects	n, Chorleywood, Hertfordshi	re. WD3 5NA 019	23 634867 www.noadesa	rchitects.com			