


**Existing Tree  
Schedule**

**3 Tangmere  
Road**



Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 01	<i>Cupressus x leylandii</i> (Leyland Cypress); <b>(5.7m Radius of nominal circle; RPA 102m<sup>2</sup>)</b>	471 mm	13.0 m Clear Stem Height 2.0 m	N: 2.5 m E: 4.0 m S: 2.5 m W: 3.5 m	Early Mature Estimated Remaining Contribution 10 + Years	Line of large screen trees.	C 2	<b>To be removed (part of separate application)</b>
T 02	<i>Cupressus x leylandii</i> (Leyland Cypress); <b>(8.7m Radius of nominal circle; RPA 238m<sup>2</sup>)</b>	707 mm	12.0 m Clear Stem Height 0.5 m	N: 3.0 m E: 3.0 m S: 3.0 m W: 4.5 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Dense growth over lawn, pruned back lower down. Provide some screening to garden.	C 2	<b>To be removed (part of separate application)</b>
T 03	<i>Pinus sylvestris</i> (Scot's Pine); <b>(7.2m Radius of nominal circle; RPA 163m<sup>2</sup>)</b>	592 mm	16.0 m Clear Stem Height 12.0 m	N: 2.0 m E: 3.0 m S: 3.0 m W: 3.0 m	Early Mature Estimated Remaining Contribution 20 + Years	Emerges from cypress trees with small high crown.	B 2	<b>Retain</b>
TL 04	<i>Chamaecyparis lawsoniana</i> (Lawson's Cypress); <b>(1.8m Radius of nominal circle; RPA 10m<sup>2</sup>)</b>	127 mm	6.0 m Clear Stem Height 1.0 m	N: 2.0 m E: 1.0 m S: 2.0 m W: 1.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Small trees growing hard against the fence. Limited value and overshadowed.	C 1	<b>Retain</b>

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 05	<i>Acer pseudoplatanus</i> (Sycamore) <b>(7.5m Radius of nominal circle; RPA 177m<sup>2</sup>)</b>	605 mm	19.0 m Clear Stem Height 6.0 m	N: 4.0 m E: 5.0 m S: 4.0 m W: 4.0 m	Early Mature Estimated Remaining Contribution 20 + Years	Recent pruning evident. Fair form.	B 2	Retain
T 06	<i>Tilia sp.</i> (Lime sp.); <b>(4.8m Radius of nominal circle; RPA 72m<sup>2</sup>)</b>	382 mm	17.0 m Clear Stem Height 3.0 m	N: 3.0 m E: 4.0 m S: 4.0 m W: 3.0 m	Semi-Mature Estimated Remaining Contribution 20 + Years	Just off site. Dense suckers at base. Boundary feature.	B 2	Retain
T 07	<i>Prunus sp.</i> (Cherry sp.); <b>(3.6m Radius of nominal circle; RPA 41m<sup>2</sup>)</b>	286 mm	15.0 m Clear Stem Height 4.0 m	N: 4.0 m E: 3.0 m S: 3.0 m W: 1.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	One large tall tree, one smaller and shorter, on the boundary.	C 2	Retain
T 08	<i>Acer pseudoplatanus</i> (Sycamore); <b>(5.4m Radius of nominal circle; RPA 92m<sup>2</sup>)</b>	428 mm CSD	19.0 m Clear Stem Height 5.0 m	N: 7.0 m E: 7.0 m S: 7.0 m W: 7.0 m	Early Mature Estimated Remaining Contribution 20 + Years	Divides to twin stems from the base with a fence installed between. Fair form with main union form limiting overall longevity.	B 2	Retain

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 09	<i>Acer pseudoplatanus</i> (Sycamore) <b>(3.6m Radius of nominal circle; RPA 41m<sup>2</sup>)</b>	280 mm	10.0 m Clear Stem Height 2.0 m	N: 3.0 m E: 1.0 m S: 4.0 m W: 5.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Tree of indifferent form, which leans west.	C 1	Retain
T 10	<i>Picea sp.</i> (Spruce sp.); <b>(3.3m Radius of nominal circle; RPA 34m<sup>2</sup>)</b>	255 mm	12.0 m Clear Stem Height 2.0 m	N: 3.0 m E: 3.0 m S: 3.0 m W: 3.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Small conical trees on boundary. Provide limited screening.	C 2	Retain
T 11	<i>Malus sp.</i> (Apple sp.); <b>(3.6m Radius of nominal circle; RPA 41m<sup>2</sup>)</b>	280 mm	3.5 m Clear Stem Height 1.0 m	N: 2.0 m E: 2.0 m S: 2.0 m W: 3.0 m	Early Mature Estimated Remaining Contribution <10 Years	One main stem has failed, another dead another part dead. Stem hollow	U	Remove
T 12	<i>Tamarix gallica</i> (Tamarisk Tree); <b>(2.4m Radius of nominal circle; RPA 18m<sup>2</sup>)</b>	191 mm	5.0 m Clear Stem Height 1.0 m	N: 4.0 m E: 4.0 m S: 3.0 m W: 4.0 m	Mature Estimated Remaining Contribution 10 + Years	Good large specimen of the species	C 1	Retain

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
TG 13	Mixed Species Ornamental Tree Group <b>(2.1m Radius of nominal circle; RPA 14m<sup>2</sup>)</b>	175 mm	7.0 m Clear Stem Height 1.0 m	N: 2.0 m E: 3.0 m S: 3.0 m W: 2.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Two fruit trees and a walnut. Trees present indifferent forms, the walnut in their centre offers better potential.	C 1	<b>Remove</b>
T 14	<i>Malus sp.</i> (Apple sp.); <b>(3.3m Radius of nominal circle; RPA 34m<sup>2</sup>)</b>	255 mm 255 mm	4.0 m Clear Stem Height 0.5 m	N: 3.0 m E: 3.0 m S: 3.0 m W: 3.5 m	Early Mature Estimated Remaining Contribution 10 + Years	Apple with dense low crown.	C C 1	<b>Remove</b>
T 15	<i>Malus sp.</i> (Apple sp.); <b>(5.1m Radius of nominal circle; RPA 81m<sup>2</sup>)</b>	414 mm	6.0 m Clear Stem Height 0.5 m	N: 4.0 m E: 4.0 m S: 5.0 m W: 5.0 m	Mature Estimated Remaining Contribution 20 + Years	As above but more mature, displaying some dieback but no hollowing yet. Good condition for the life stage.	B 1	<b>Remove</b>
T 16	<i>Juglans regia</i> (English Walnut); <b>(4.5m Radius of nominal circle; RPA 64m<sup>2</sup>)</b>	366 mm	13.0 m Clear Stem Height 3.0 m	N: 6.0 m E: 6.0 m S: 6.0 m W: 6.0 m	Early Mature Estimated Remaining Contribution 10 + Years	Some lower dieback, pruning scars to stem with small cavity, very minor seam to top of main union at 2.2m	C 1	<b>Remove</b>

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 17	<i>Magnolia sp.</i> (Magnolia) <b>(4.8m Radius of nominal circle; RPA 72m<sup>2</sup>)</b>	398 mm	4.0 m Clear Stem Height 0.0 m	N: 6.0 m E: 5.0 m S: 4.0 m W: 5.0 m	Mature Estimated Remaining Contribution 10 + Years	Multistem near the base. Broad spreading crown held on multiple twisting stems.	C 1	<b>Remove</b>
T 18	<i>Cupressus sp.</i> (Cypress sp.); <b>(5.4m Radius of nominal circle; RPA 92m<sup>2</sup>)</b>	428 mm CSD	9.0 m Clear Stem Height 2.0 m	N: 4.0 m E: 3.0 m S: 3.0 m W: 5.0 m	Early Mature Estimated Remaining Contribution 10 + Years	Sawara cypress. Several stems from the base. Ornamental value only with slightly sparse but typical foliage.	C 1	<b>Remove</b>
T 19	<i>Thuja sp.</i> (Red Cedar); <b>(6.3m Radius of nominal circle; RPA 124m<sup>2</sup>)</b>	520 mm CSD	11.0 m Clear Stem Height 1.0 m	N: 3.0 m E: 4.0 m S: 3.0 m W: 4.0 m	Early Mature Estimated Remaining Contribution 10 + Years	Multistem garden tree. Large and vigorous but offering little value to the site.	C 1	<b>Retain</b>
T 20	<i>Juglans regia</i> (English Walnut); <b>(4.8m Radius of nominal circle; RPA 72m<sup>2</sup>)</b>	385 mm	12.0 m Clear Stem Height 2.0 m	N: 3.0 m E: 4.5 m S: 4.5 m W: 5.0 m	Semi-Mature Estimated Remaining Contribution 20 + Years	Codominant stems at 1m. Some minor failures. Generally fair form.	B 1	<b>Retain</b>

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 21	<i>Picea sp.</i> (Spruce sp.) <b>(7.2m Radius of nominal circle; RPA 163m<sup>2</sup>)</b>	589 mm	16.0 m Clear Stem Height 1.5 m	N: 5.0 m E: 5.0 m S: 4.0 m W: 5.0 m	Mature Estimated Remaining Contribution 20 + Years	Dense conical tree, lower dieback noted adjacent to the walnut. Large surface roots spread off to north west and north east. A large low limb arches upwards with stress lines noted to the bark. Tree is a prominent feature.	B 2	<b>Remove</b>
T 22	<i>Chamaecyparis lawsoniana</i> (Lawson's Cypress); <b>(6.9m Radius of nominal circle; RPA 150m<sup>2</sup>)</b>	557 mm	11.0 m Clear Stem Height 1.5 m	N: 3.0 m E: 4.0 m S: 3.0 m W: 4.0 m	Early Mature Estimated Remaining Contribution 10 + Years	Dense conical tree. A lower limb has previously been removed to the north, leaving a bare area. Ornamental value only.	C 1	<b>Remove</b>
T 23	<i>Chamaecyparis lawsoniana</i> (Lawson's Cypress); <b>(6.3m Radius of nominal circle; RPA 124m<sup>2</sup>)</b>	525 mm	9.0 m Clear Stem Height 1.5 m	N: 2.0 m E: 3.0 m S: 3.0 m W: 3.0 m	Early Mature Estimated Remaining Contribution 10 + Years	Divides to twin stems from the base. Growth is sparse to the south.	C 1	<b>Retain</b>
T 24	<i>Picea pungens</i> (Blue Spruce); <b>(4.2m Radius of nominal circle; RPA 55m<sup>2</sup>)</b>	341 mm	10.0 m Clear Stem Height 2.0 m	N: 4.0 m E: 4.0 m S: 4.0 m W: 1.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	No growth is present to the west. Otherwise fairly typical of the species, yet to become a prominent feature.	C 1	<b>Remove</b>

<b>Tree No.</b>	<b>Species</b>	<b>Diameter @1.5m</b>	<b>Height (approx.)</b>	<b>Spread (approx.)</b>	<b>Age</b>	<b>Condition/Preliminary Recommendations</b>	<b>Category</b>	<b>Status</b>
T 25	<i>Taxus baccata</i> (Yew) <b>(3.3m Radius of nominal circle; RPA 34m<sup>2</sup>)</b>	255 mm	4.5 m  Clear Stem Height  0.0 m	N: 1.5 m E: 1.5 m S: 1.0 m W: 1.5 m	Semi-Mature  Estimated Remaining Contribution  10 + Years	Ornamental dense topiary. Provides minimal ornamental value.	C  1	<b>Remove</b>