

Prebendal Landscape Material Samples

DOCUMENT SUPPORTING DISCHARGE OF CONDITION APPLICATION RELATING TO APPROVED APPLICATIONS:

2023/0399/LBA & 2023/0398/FUL

REVISION: -

16 April 2024



Ben Pentreath

Contents

1.0


- 1.01 Basset Sandstone
- 1.02 Reclaimed Yorkstone
- 1.03 Darley Stableyard Cobbles
- 1.04 Hoggin
- 1.05 Medwell Ashlar
- 1.06 Bidwell Rubblestone
- 1.07 Collyweston Slate
- 1.08 Fencing

I.OI BARSET SANDSTONE



I.02 RECLAIMED YORKSTONE

Reclaimed yorkstone flags. Laid coursed. Joints to be dry pointed and free draining.



1.03 DARLEY STABLEYARD COBBLES

Darley Yorkshire sandstone stableyard cobbles. Laid coursed and joints to be dry pointed and free draining.



I.04 HOGGIN

Riverwashed South Cerney Hoggin and Gravel for the paths



I.05 MEDWELL ASHLAR

Ashlar stone of Clipsham Medwell. 3mm joints pointed with natural lime mortar.

Note: Mortar mix to be a lime mortar used Hydraulic lime NHL 3.5 and sharp sand (1:3 mix)



I.06 BIDWELL RUBBLE STONE

Bidwell rubble stone. Laid in varying sized courses with natural lime mortar.

Note: Mortar mix to be a lime mortar used Hydraulic lime NHL 3.5 and sharp sand (1:3 mix) with a bag rubbed or stipple brushed finish



I.07 COLLYWESTON SLATE

Collyweston slate torched with natural lime mortar.
Laid in diminishing courses.



1.08 FENCING

Iron parkland rail fencing.

