

WHITE BLOCKWORK HARLED FINISH TO MATCH EXISTING. TO BE APPLIED AS PER MANUFACTURERS INSTRUCTIONS

DPC 150MM MIN ABOVE ADJOINING G.L

BEIGE RANDOM FYFESTONE FINISH TO BASE COURSE.

CONCRETE STRIP FOUNDATIONS TO PROJECT ENGINEERS DETAIL AND SPECIFICATION. MIN 450MM FROST COVER.

Proposed Section A-A (1:50)

WHITE BLOCKWORK HARLED FINISH TO MATCH EXISTING. TO BE APPLIED AS PER MANUFACTURERS INSTRUCTIONS

DPC 150MM MIN ABOVE ADJOINING G.L

BEIGE RANDOM FYFESTONE FINISH TO BASE COURSE.

CONCRETE STRIP FOUNDATIONS TO PROJECT ENGINEERS DETAIL AND SPECIFICATION. MIN 450MM FROST COVER.

Proposed Section B-B (1:50)

Existing doors & windows to be removed to form a 3065x2230mm opening. Existing lintel to remain. Opening made good with framing and plasterboard.

Existing doors & windows to be removed to form a 3065x2230mm opening. Existing lintel to remain. Opening made good with framing and plasterboard.

ROOF:
Cure-IT Flat roof finish (Dark Grey). Code 4 Lead throughout. Fascia/Soffits - White

DRAINAGE:
New 68mm Ø PVCu RWP connected into existing drainage, 120mmØ Deepflow RWG - colour: Black. Bracket and support to be fixed at 500mm horizontal centres, 1.8m vertical centres

WINDOWS:
Windows to be uPVC External Grey / Internal White Optiwhite argon gas filled double glazed with 'KS' inner pane coating with warm air edge spacer (1.40 W/m²k U-value). Opening parts shown. Glass in doors and any adjacent windows to be toughened on inside pane; laminated on outer, designed to resist human impact as set in BS6262 Part 4: 2005. Trickle vents to be fitted to opening sashes as shown to achieve 12000mm² rate of ventilation. 25mm Kingspan insulation to be fitted at window jamb, head and cills to prevent thermal bridging

WALL:
Beige Random Fyfestone to Basecourse & White Blockwork Harled to Dado & Full Height Wall - to match EXISTING

FASCIA & SOFFIT:
White uPVC

RAINWATER GOODS:
Black uPVC

Any discrepancies or queries regarding any part of the works to be discussed prior to any affected work being carried out.

Drawings not to be scaled and all sizes to be checked on site.

Lighting / Electrical Items all as per Specification and to final positions to be agreed on site by customer.

ANY Sub floor ventilator covered by works to be re-routed to external air.

GENERAL NOTES


ALL ELECTRICAL WORK TO BE CARRIED OUT IN STRICT ACCORDANCE WITH THE LATEST I.E.E REGULATIONS AND TO COMPLY WITH THE 18TH EDITION OF THE BS 7671: 2018 'THE REQUIREMENTS FOR ELECTRICAL INSTALLATIONS'.

ANY DISCREPANCIES OR QUERIES REGARDING ANY PART OF THE WORKS TO BE DISCUSSED PRIOR TO ANY AFFECTED WORK BEING CARRIED OUT.

WHILST THE HIGHLIGHTED AREAS ARE INDICATIONS OF SERVICES BELOW GROUND THERE MAY BE OTHERS OUT WITH, THEREFORE ALL EXCAVATIONS SHOULD INCORPORATE EXTREME CARE AND DILIGENCE.

DRAWINGS TO BE READ AND UNDERSTOOD PRIOR TO WORK COMMENCING. FIGURED DIMENSIONS TO TAKE PREFERENCE OVER SCALED DIMENSIONS. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON SITE. EXISTING DRAINAGE AND SERVICES POSITIONS TO BE CONFIRMED ON SITE. ANY DISCREPANCIES TO BE REPORTED BACK TO ARCHITECT.

CUSTOMER APPROVAL		
SALES ADVISER		
SALES MANAGER		
APPROVAL	DATE	SIGNATURE



3	ISSUED FOR PLANNING & WARRANT APPROVAL	T.ELLIS	25/04/2024
2	ISSUED FOR CUSTOMER APPROVAL	T.ELLIS	16/04/2024
1	REISSUED TO SALES FOR APPROVAL	T.ELLIS	15/04/2024
0	ISSUED TO SALES FOR APPROVAL	T.ELLIS	11/04/2024
No.	REVISION	DRAWN BY	CHECKED BY

CUSTOMER:
MR & MRS INNES
16 CRAIBSTONE GARDENS
ABERDEEN
AB21 9SW

PROJECT:
PROPOSED EXTENSION

THISTLE CONTRACT NO: **41701**

THISTLE HOUSE, WOODSIDE ROAD
BRIDGE OF DON, ABERDEEN, AB23 8EF
TEL: 01224 706555 WWW.THISTLE.GROUP

DATE	APR '24	DRAWING NO:	202
SCALE	1:50		