





**RICHARD PARR
ASSOCIATES**

Job: West Bradley House
 Schedule: Window Schedule
 Stage: Planning

Level	Ref	Location	Condition	Description	Glazing Type	Finish	Separate Ironmongery	Refurbishment	Notes	Photograph
Ground Floor - Main House	G01.W1	G01 Hall	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.		
Ground Floor - Main House	G02.W1	G02 Library	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.		
	G02.W2	G02 Library	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.		



Ground Floor - Main House	G03.W1	G03 Drawing Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Existing shutters to be refurbished and repainted. New ironmongery including new hinges and knobs	
	G03.W2	G03 Drawing Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Existing shutters to be refurbished and repainted. New ironmongery including new hinges and knobs	
	G03.W3	G03 Drawing Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Existing shutters to be refurbished and repainted. New ironmongery including new hinges and knobs	




	G03.W4	G03 Drawing Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Existing shutters to be refurbished and repainted. New ironmongery including new hinges and knobs	
Ground Floor - Main House	G04.W1	G04 Kitchen/ Dining	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing
	G04.W2	G04 Kitchen/ Dining	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing
	G04.W3	G04 Kitchen/ Dining	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing




	G04.W4	G04 Kitchen/ Dining	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing
Ground Floor - Main House	G05.W1	G05 Back Hall	New proposed	Fixed frameless unit	Low-E double glazed units	Painted Metal	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
Ground Floor - Main House	G06.W1	G06 Utility/ Back Kitchen	Replacement in new opening	New timber casement window	Slimline double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	Refer to window drawing
	G06.W2	G06 Utility/ Back Kitchen	Replacement in existing opening	New timber casement window	Slimline double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	Refer to window drawing
	G06.W3	G06 Utility / Back Kitchen	Replacement in existing opening	New timber casement window	Slimline double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	Refer to window drawing




Ground Floor - Main House	G08.W1	G08 Boot room	New proposed	Rooflight -Fixed frameless unit	Double glazed	Powder coated aluminium	Included with system	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
Ground Floor - Link	G09.W1	G09 Link	New proposed	Openable centre pivot glazing unit	Low-E double glazed units	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
	G09.W2	G09 Link	New proposed	Openable centre pivot glazing unit	Low-E double glazed units	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
Ground Floor - Apple Barn	G10.W1	G10 Apple Barn Hall	New proposed	Frameless fixed flat roof light	Low-E double glazed units	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
	G10.W2	G10 Apple Barn Hall	New proposed in existing opening	Slimline arched fixed glazed unit	Low-E double glazed units	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	


Apple Barn	G10.W3	G10 Apple Barn Hall	Replacement in existing opening	New timber casement window	Low-E double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	
	G10.W4	G10 Apple Barn Hall	New proposed	Slimline arched fixed glazed unit	Low-E double glazed units	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window schedule
Ground Floor - Apple Barn	G11.W1	G11 Apple Barn Hall	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile historic skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window schedule
	G11.W2	G11 Apple Barn Hall	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass out of reach traditional winder spindle	N/A	Low profile historic skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing

	G11.W3	G11 Apple Barn Hall	New window in existing opening	Slimline arched fixed glazed unit	Double glazed	Powder coated aluminium	N/A	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low-E double glazed units, toughened glass.	Refer to window drawing
First Floor - Main House	F02.W1	F02. Master Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	
	F02.W2	F02. Master Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	




	F02.W3	F02. Master Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	
First Floor - Main House	F03.W1	F03 Master Dressing Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	
	F04.W1	F04 Master Bathroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	




First Floor - Main House	F04.W2	F04 Master Bathroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	
	F04.W3	F04 Master Bathroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	
First Floor -	F05.W1	F05 Master Sitting Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement shutters in existing shutter boxes. New ironmongery including new hinges and knobs, polished brass finish	


Main House	F05.W2	F05 Master Sitting Room	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New ironmongery including sash pulls and sash lock.	Overhaul window to good working order. Make good or replace components if rotten, and repaint. Replace sash stops, sash lifts, pulley wheels and plates, sash pulls and fitch fastener, and cords as required. New draft proofing and rebalancing. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New replacement panelled reveals. New ironmongery including new hinges and knobs, polished brass finish	
First Floor - Apple Barn	F06.W1	F06 Screening Room	Replacement in existing opening	New timber casement window	Double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	
	F06.W2	F06 Screening Room	Replacement in existing opening	New timber casement window	Double glazed units	Painted timber	Polished brass ironmongery	N/A	3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	

First Floor - Apple Barn	F06.1.W1	F06.2 WC	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile historic skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing
First Floor - Apple Barn	F06.2.W1	F06.1 Bar	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile historic skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish. Openable.	Refer to window drawing
	F07.W1	F07 Games Room	Replacement in existing opening	New timber casement window	Double glazed units	Painted timber	Polished brass ironmongery		3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	
	F07.W2	F07 Games Room	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish.	Refer to window drawing

First Floor - Apple Barn	F07.W3	F07 Games Room	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish	Refer to window drawing
	F07.W4	F07 Games Room	Replacement in existing opening	New timber casement window	Double glazed units	Painted timber	Polished brass ironmongery		3 light, side hanging hardwood casement window with 2no mullions and a central fixed light. Central glazing bar, 11mm slim double glazing units, clear low iron glass.	Refer to window drawing
	F07.W5	F07 Games Room	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish	Refer to window drawing
	F07.W6	F07 Games Room	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish	Refer to window drawing
	F07.W7	F07 Games Room	New proposed	Fixed frameless unit	Double glazed	Powder coated aluminium	Included with system	N/A	Structural glass system with thermally broken fixings comprising 1no window pane and concealed framework. Low- E double glazed units, toughened glass.	Refer to window drawing

Second Floor - Main House	S05.W1	S01 Staircase	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.		
Second Floor - Main House	S02.W1	S02 Childrens Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	
Second Floor -	S03.W1	S03 Childrens Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	

Main House	S03.W2	S03 Childrens Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	
Second Floor - Main House	S04.W1	S04 Childrens Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	
	S04.W2	S04 Childrens Bedroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	

Second Floor - Main House	S05.W1	S05 Family Bathroom	Existing retained	Existing Sash window	Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	Painted timber	New upgraded ironmongery to include: sash locks, catches and pulls in a polished brass finish	Overhaul window to good working order. Make good or replace components if rotten, and reccorate. Upgrade sash furniture including new pre-stretched sash rope, pulley wheels, sash locks, catches and pulls in polished brass. New draft seals to be added to sashes and staff beads. Replace glazing with HistoGlass MONO RT+ thermal laminate single glass.	New shutters to match existing ground floor shutters and boxes. New ironmongery including new hinges and knobs, polished brass finish	
First Floor - Apple Barn	F06.2.W10	F06.1 Bar	New proposed	Conservation Rooflight	Double glazed with single glazed appearance	Powder coated aluminium	Brass traditional winder spindle	N/A	Low profile conservation skylight, top hung with exposed hinges, glazing bars and a flush finish. 25mm stepped glazing edge to the double glazing at the cill to imitating a historic rooflight. Hand finished silicone to imitate putty. Seamless internal finish	Refer to window drawing