## Landmap Visual Sensory

SurveyUrl:https://landmap-portal.naturalresources.wales/view\_survey.php?survey\_id=4768 AspectName: Visual and Sensorv SurveyDate:06/04/2006 **UID:**CYNONVS260 AreaName: Valley slopes Machen - Ystrad Mynach Region:Bridgend/Caerphilly/Rhondda CLS\_1:Upland CLS\_2:Hills, Lower Plateau & Scarp Slopes CLS 3:Hill & Lower Plateau Grazing **CLS 4: VS 1:**2013-01-01 **VS** 1a:Bronwen Thomas Landscape Architect, plus White Consultants at initial change detection stage, in consultation with LPA. Based on 2011/12 change detection. **VS** 1b: This record has been updated following monitoring work, there was a real change in the aspect area VS\_1c:OS Data, Aerial Photographs. Satellite Imagery Interpretation VS\_1d:Description. Recommendations VS\_1e:Yes VS 2:No VS 2a:Winter VS\_3: This is an area of sloping valley side on the northern/eastern side of the Rhymney Valley... The land generally slopes upwards from a height of approximately 100m AOD where it borders the built form at the base of the valley to approximately 300m AOD at the top of the slopes... The landform is a mix of pastoral farmland in field enclosures, woodland blocks (both broadleaved and coniferous plantation... Also present is Bracken which dominates the steeper/higher slopes in areas such as Mynydd Di VS\_4:Hills/Valleys VS\_5:Mixture VS\_6:Scattered Rural/Farm VS 7:Mixture VS 8:Large VS 9:Open VS 10:Diverse VS 11:Medium VS\_12:Angular VS 13:Muted VS\_14:Balanced VS\_15:Neutral VS 16:Regular VS 17:None VS\_18:Infrequent **VS** 19: Question 19 night time light pollution data has been moved to question 56. Additional dark skies data is available from questions 57 and 58. VS\_20:Generally Appropriate **VS\_21:**N/A **VS 22:...**out VS\_23:...both in and out VS\_24:Settled VS 25:Moderate VS 26:Moderate VS\_27:Fair VS 28:Declining VS 29:Unassessed

**VS\_30:**N/A

VS 31:N/A

VS\_32:Long Term. Long Term. Long Term

VS\_33: The open upland feel of the higher side slopes...

**VS\_34:**N/A

VS 35:N/A

**VS 36:**N/A

**VS 37:**N/A

**VS\_38:**Dominance of coniferous plantations over large areas... Future management should seek to reintroduce native broadleaved trees on a scale appropriate to that of the Aspect Area...

VS\_39:Not known

VS\_40:Level 3

VS\_41:Most

VS\_42:

Other

**VS\_43:**1:10,000

VS\_44: They incorporate the northern and eastern slopes of the Rhymney Valley, settlements in the Rhymney Valley form the northern, western and southern boundaries whereas the top of the valley before it drops into the Sirhowy Valley to the east forms the eastern boundary...

VS\_45:OS data...

VS\_46:Moderate

VS 47:Moderate

VS\_48:Moderate

VS\_49:Moderate

VS 50:Moderate

VS\_51: The area is open and has views across the valley which are attractive, but the area has no remarkable/valuable/unique features and the coniferous plantations and views down on to the built up areas in the valley base detract from the value...

VS\_52:N/A

**VS\_54:**Upland valleys, hillsides, lower plateau and scarps (grassland >50%, open, predominantly unwooded)

VS\_55:Negligible

**VS\_53:**N/A

VS\_56:0.0

**VS\_57:**Upland open >50% grassland

**VS\_58:**0.0

**VS\_59:**68.1 **VS 60:**21.2

**VS\_61:**9.5

VS\_61:9.3

**VS** 63:0.0

VS\_64:0.0

VS\_65:0.0

VS\_66:0.0

VS\_67:12.4

VS\_68:3.9 VS\_69:1.7

**VS\_70:**0.2

**VS\_71:**0.0

VS\_72:0.0

VS 73:0.00

VS\_74:

VS\_75:https://landmap-

portal.naturalresources.wales/downloads/landmap\_areas\_viewsheds/CYNONVS260\_Visible\_setting\_of\_L ANDMAP Visual and Sensory landscape area.pdf

VS\_76:https://landmap-portal.naturalresources.wales/visual\_settings\_and\_key\_views\_list.php VS\_77:

VS\_78:0.00 VS\_79:0.00 VS\_80:https://landmap-portal.naturalresources.wales/visual\_settings\_and\_key\_views\_list.php VS\_81:0.00 VS\_82:2.84 VS\_83:26.30 VS\_84:61.07 VS\_85:9.78 VS\_86:0.00 VS\_87:0.00 VS\_87:0.00