Communal Heating Notes

This drawing shall be read in conjunction with all other drawings and specifications

For Notes, Details refer to the following drawings: 6432-M-Z-M-000-50-900 6432-M-Z-M-000-50-901

For Communal Heating Schematics refer to the following drawings: 6432-M-A-M-700-56-700 6432-M-A-M-700-56-701 6432-M-BC-M-700-56-702 6432-M-DE-M-700-56-703 6432-M-FG-M-700-56-704

For Communal Heating Equipment Schedules refer to the following: 6432-M-A-ZZ-600-07-130


For Communal Heating Plantroom & Roof Layout refer to drg: 6432-M-A-01-100-56-100 6432-M-A-16-100-56-100


District Heating Flow

District Heating Return



= M&E Cupboard Area, Refer to 50 Series for HIU position.





32Ø Conduit for TV 10mm QuelStop HPE Graphite Sealant (QHPE310) 32Ø Conduit for Access Control 10mm QuelStop HPE Graphite Sealant (QHPE310)

40Ø Conduit for Submain 10mm QuelStop HPE Graphite Sealant (QHPE310)

> District Heating pipework F&R c/w 40mm Insulation & 4mm Quelcoil Continuous Intuwrap (QUELCOIL)

QuelStop Fire Batt (QB50D)


- 32Ø Conduit for BT 10mm HPE Graphite Sealant (QHPE310)

BCW Pipework c/w 20mm Insulation & 4mm Quelcoil Continuous Intuwrap (QUELCOIL) Sprinkler piperwork c/w

Graphite Sealant (QHPE310)

32Ø Conduit for BT 10mm QuelStop HPE Graphite Sealant (QHPE310)

BCW Pipework c/w 20mm Insulation & 4mm Quelcoil Continuous Intuwrap (QUELCOIL) Sprinkler piperwork c/w 10mm QuelStop HPE Graphite Sealant (QHPE310)



32Ø Conduit for TV 10mm QuelStop HPE Graphite Sealant (QHPE310) ■ 32Ø Conduit for Access Control 10mm QuelStop HPE Graphite Sealant (QHPE310)

40Ø Conduit for Submain 10mm QuelStop HPE Graphite Sealant (QHPE310)

District Heating pipework F&R c/w 40mm Insulation & 4mm Quelcoil Continuous Intuwrap (QUELCOIL)

QuelStop Fire Batt (QB50D)


5

Sheet Notes:

This drawing is the property of Designbrook Ltd and as such may not be copied or communicated to a third party without written authorisation.

This drawing conveys design intent and is provided to assist the contractor in the development of their working drawings. THE CONTRACTOR SHALL NOT INSTALL TO THIS DRAWING.

PLEASE DO NOT SCALE FROM THIS DRAWING.



C1 AG AE 11/04/23 Construction Issue T2 JE AE 20/09/22 Updated to latest ER's recieved & comments from design team T1 SJL AE 15/06/22 T1 Issue P01 JE AE 25/04/22 Preliminary Issue



LONDON SQUARE HEAD OFFICE, ONE YORK ROAD, UXBRIDGE,

UB8 1RN WWW.LONDONSQUARE.CO.UK



LONDON SQUARE

Designbrook Ltd, Unit J2, The Granary, Bridge Farm, Reading Road, Arborfield, Berkshire, RG2 9HT Tel: 0118 9 773 011 E-mail:admin@designbrook.co.uk

PROJECT TITLE

The Hyde, Colindale, Phase 1

DRAWINGISSUE **Construction Issue** DRAWINGTITLE Block A - Ground Floor, Communal Heating Primary Service Routes

SCALE	DRAWN
1:100@A1	JE
DATE	CHECKED
25/04/2022	AJE
DBR Project No.	
J6432	
Identification	Sheet Numbe
Drawing Number	Rev
-	0
6432-M-A-00-100-56-100	C

