
EXISTING BANKED GROUND LEVEL STONE GABION STONE GABION Geotech fabric layer between soil and drainage gravel \_200mm drainage gravel around 100mm drainage pipe 3G PITCH remove topsoil, and replace with 100mm compacted 40mm type 1 sub base Indicative detail to illustrate proposed retaining structure - to be constructed to structural engineers details fence-posts inset into ground to manufacturers recommendations TYPICAL SECTION THROUGH PROPOSED RETAINING STRUCTURE 1:20

(C) This drawing is copyright. DO NOT SCALE FROM THIS DRAWING. Dimensions to be checked on site prior to work being carried out. This drawing is for the purpose of submitting a feasibility study only and it is to be read in conjunction with all other drawings and information in connection with the scheme. Any discrepancies to be reported to Callingham Associates Limited in writing prior to works proceeding. No unauthorised copying or reproducing of this drawing without prior written permission from Callingham Associates Limited





2 Hearsall Lane, Coventry, CV5 6QR, tel: 024 7671 3872 also at 1 Chapel Street, Warwick, CV34 4HL, t: 01926 405595 - f: 01926 405522 e: architect@callingham-associates.co.uk www.callingham-associates.co.uk

PROPOSED WORKS
CHARLIE WAYMAN FIELDS AND
MINERS WELFARE SITES
CHILTON WAY
FERRYHILL
DL17 0HJ

RETAINING STRUCTURE GENERIC DETAIL

scale: 1:20@A3 date: 06.11.23 drawn by: AC

drg: 1329.08

checked by: xx